

APPENDIX 1

Proportion of smokers from the Netherlands and the UK who made a quit attempt, used medications and who quit successfully for respondents with different income levels and respondents who did not report their income (weighted data).

	Income level				p-value
	Low	Moderate	High	Not reported*	
Quit attempt (%)					
UK	37.4	38.2	50.0	50.0	0.012
NL	36.0	29.6	36.2	27.6	0.037
Used medication (%)					
UK	50.6	31.5	39.5	37.9	0.085
NL	26.3	23.3	15.4	18.6	0.214
Quit success (%)					
UK	31.2	27.2	41.9	41.4	0.107
NL	21.3	21.9	41.5	23.5	0.002

* In the UK 7.7% did not report their income, in the Netherlands 30.1%

APPENDIX 2

Baseline characteristics of respondents included in the analysis and respondents lost to follow-up for the Netherlands and the UK.

	United Kingdom			The Netherlands		
	Included in analysis (n = 768)	Lost to follow-up (n = 335)	p-value	Included in analysis (n = 1164)	Lost to follow-up (n = 256)	p-value
Gender						
Female (%)	52.6	47.2	0.102	49.0	45.3	0.301
Age						
18-24 years (%)	3.8	9.6	<0.001	17.9	23.4	<0.001
25-39 years (%)	21.9	30.1		27.8	36.3	
40-54 years (%)	42.2	36.1		30.7	28.9	
55+ years (%)	32.2	24.2		23.6	11.3	
Heaviness of Smoking Index						
0-1 (%)	27.0	36.3	0.011	31.1	27.2	0.075
2-4 (%)	65.4	57.4		62.2	69.0	
5-6 (%)	7.5	6.3		6.7	3.8	
Income level						
Low (%)	31.0	32.2	0.863	21.4	19.1	0.646
Moderate (%)	31.1	28.7		18.9	21.9	
High (%)	29.9	31.3		29.2	27.7	
Not reported (%)	7.9	7.8		30.5	31.2	
Educational level						
Low (%)	21.4	16.6	0.054	26.3	26.0	0.770
Moderate (%)	27.2	24.4		46.9	49.2	
High (%)	51.5	59.0		26.7	24.8	

