

Supplemental Table. Adverse events (AEs) at baseline and during the study.*

AE	Baseline**				During Study***				p-value
	Gum (N=195)		Snus (N=196)		Gum (N=195)		Snus (N=196)		
	Mild	Mod-Severe	Mild	Mod-Severe	Mild	Mod-Severe	Mild	Mod-Severe	
Dry Mouth	29	4	35	4	40	2	48	7	0.138
Excessive Salivation	2	2	5	4	37	4	57	19	<0.0001
Headache	25	16	25	19	26	6	13	14	0.022
Dizziness	11	1	10	2	21	1	23	1	0.936
Lightheaded	11	0	11	1	14	1	20	1	0.684
Nausea	1	2	2	2	35	8	48	13	0.121
Belching	8	1	9	0	34	3	22	2	0.166
Hiccups	13	0	7	0	45	4	38	4	0.645
Sore Throat	13	2	15	0	26	6	34	2	0.211
Mouth Sores	1	0	3	0	31	1	37	9	0.020
Sleep Disturbance	28	21	31	13	23	12	22	6	0.330
Anxiety	43	8	59	8	16	7	18	3	0.442

*AE was listed if it was reported by >5% of the sample. Because of so few severe AEs, they were combined with moderate severity.

All reported AE's at baseline, regardless of cause.*Maximum severity across the study (each person counted once), among those AEs noted as definitely related, possibly related or unknown cause. Those AEs with cause noted as unrelated were not included.